A/IGP 3736
*ff*IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Becker et al.

SERIAL No. 09/082,557

EXAMINER: Carter, R.

FILED: May 21, 1998

GROUP NO.: 3736

TITLE: ELECTROSURGICAL GENERATOR POWER CONTROL CIRCUIT
AND METHOD

Attorney Docket No.: 2060 CON

Box: AF

Assistant Commissioner For Patents

Washington, D.C. 20231

TC 3700 MAIL ROOM
SEP 20 2000

RECEIVED

RESPONSE TRANSMITTAL FORM


Sir:

- Transmitted herewith is a Response in the above-identified application.
- Petition for a 2 month extension of time pursuant to 37 C.F.R. §§ 1.136 and 1.137 is hereby made if, and to the extent, required. The fee for this extension of time is calculated to be \$380.00 to extend the time for filing this response until September 12, 2000.
- A Terminal Disclaimer and a Statement under 37 C.F.R. 3.73(b) is hereby submitted. The fee for this Terminal Disclaimer is calculated to be \$110.00

The fee for any change in number of claims has been calculated as shown below.

CLAIMS AS AMENDED						
	Claims Remaining After Amendment		Highest Number Previously Paid	Present Extra	Rate	
Total Claims	27	Minus	27	0	0 X \$18.00	\$0.00
Independent Claims	5	Minus	5	0	0 X \$78.00	0.00
MULTIPLE DEPENDENT CLAIM FEE				x \$270.00 = \$ 00.00		
TOTAL FEE FOR CLAIM CHANGES				\$00.00		

SERIAL No. 09/082,557
GROUP NO.: 3736




The total fee for this response, including the 2 month extension of time, and the terminal disclaimer, is calculated to be \$490.00

A check in the amount of \$490.00 is attached.

The Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. §§ 1.16 and 1.17 which may be required with this communication or during the entire pendency of the application, or credit any overpayment, to Deposit Account No. 01-0467. A duplicate copy of this Form is enclosed.

9/11/2000
Date

Respectfully submitted,


Harry F. Smith
Ohlandt, Greeley, Ruggiero & Perle
Attorney for Applicant(s)
Registration No. 32,493
(203) 327-4500

RECEIVED
SEP 20 2000
TC 3700 MAIL ROOM